

**BOROUGH OF FRANKLIN LAKES
ORDINANCE NO. 1929**

**AN ORDINANCE SUPPLEMENTING CHAPTER 420
“STORMWATER CONTROL” OF THE CODE OF THE
BOROUGH OF FRANKLIN LAKES TO REGULATE
PRIVATELY-OWNED SALT STORAGE**

BE IT ORDAINED by the Mayor and Council of the Borough of Franklin Lakes, in the County of Bergen and State of New Jersey as follows:

Section 1. Chapter 420 “Stormwater Control” of the Code of the Borough of Franklin Lakes are hereby separated into two Articles, Article I “Stormwater Control,” consisting of Sections 420-1 through 420-12, and a new Article II “Privately-Owned Salt Storage”, which shall read as follows:

Article II Privately-Owned Salt Storage

§ 420-13 Purpose.

The purpose of this article is to prevent stored salt and other solid de-icing materials from being exposed to stormwater. This article establishes requirements for the storage of salt and other solid de-icing materials on properties not owned or operated by the Borough of Franklin Lakes (privately-owned), including residences, in the Borough, to protect the environment, public health, safety and welfare, and to prescribe penalties for failure to comply.

§ 420-14 Definitions.

For the purpose of this article, the following terms, phrases, words and their derivations shall have the meanings stated herein unless their use in the text of this article clearly demonstrates a different meaning. When consistent with the context, words used in the present tense include the future, words used in the plural number include the singular number, and words used in the singular number include the plural number. The word “shall” is always mandatory and not merely directory.

DE-ICING MATERIALS

Any granular or solid material such as melting salt or any other granular solid that assists in the melting of snow.

IMPERVIOUS SURFACE

A surface that has been covered with a layer of material so that it is highly resistant to infiltration by water.

PERMANENT STRUCTURE

A permanent building or permanent structure that is anchored to a permanent foundation with an impermeable floor, and that is completely roofed and walled (new structures require a door or other means of sealing the access way from wind driven rainfall).

A fabric frame structure is a permanent structure if it meets the following specifications:

- A. Concrete blocks, jersey barriers or other similar material shall be placed around the interior of the structure to protect the side walls during loading and unloading of de-icing materials;
- B. The design shall prevent stormwater run-on and run through, and the fabric cannot leak;
- C. The structure shall be erected on an impermeable slab;
- D. The structure cannot be open sided; and
- E. The structure shall have a roll up door or other means of sealing the access way from wind driven rainfall.

PERSON

Any individual, corporation, company, partnership, firm, association, or political subdivision of this State subject to municipal jurisdiction.

RESIDENT

A person who resides on a residential property where de-icing material is stored.

STORM DRAIN INLET

The point of entry into the storm sewer system.

§ 420-15 Deicing material storage requirements.

- A. Temporary outdoor storage of de-icing materials in accordance with the requirements below is allowed between October 15th and April 15th:
 - (1) Loose materials shall be placed on a flat, impervious surface in a manner that prevents stormwater run-through;
 - (2) Loose materials shall be placed at least 50 feet from surface water bodies, storm drain inlets, ditches and/or other stormwater conveyance channels;
 - (3) Loose materials shall be maintained in a cone-shaped storage pile. If loading or unloading activities alter the cone-shape during daily activities, tracked materials shall be swept back into the storage pile, and the storage pile shall be reshaped into a cone after use;
 - (4) Loose materials shall be covered as follows:
 - (a) The cover shall be waterproof, impermeable, and flexible;
 - (b) The cover shall extend to the base of the pile(s);

- (c) The cover shall be free from holes or tears;
- (d) The cover shall be secured and weighed down around the perimeter to prevent removal by wind; and
- (e) Weight shall be placed on the cover(s) in such a way that minimizes the potential of exposure as materials shift and runoff flows down to the base of the pile.
 - i. Sandbags lashed together with rope or cable and placed uniformly over the flexible cover, or poly-cord nets provide a suitable method. Items that can potentially hold water (e.g., old tires) shall not be used;

(5) Containers must be sealed when not in use; and

(6) The site shall be free of all de-icing materials between April 16th and October 14th.

B. De-icing materials should be stored in a permanent structure if a suitable storage structure is available. For storage of loose de-icing materials in a permanent structure, such storage may be permanent, and thus not restricted to October 15 to April 15.

C. The property owner, or owner of the de-icing materials if different, shall designate a person(s) responsible for operations at the site where these materials are stored outdoors, and who shall document that weekly inspections are conducted to ensure that the conditions of this ordinance are met. Inspection records shall be kept on site and made available to the municipality upon request.

(1) Residents who operate businesses from their homes that utilize de-icing materials are required to perform weekly inspections.

§ 420-16 Exemptions.

Residents may store de-icing materials outside in a solid-walled, closed container that prevents precipitation from entering and exiting the container, and which prevents the de-icing materials from leaking or spilling out. Under these circumstances, weekly inspections are not necessary, but repair or replacement of damaged or inadequate containers shall occur within two weeks.

If containerized (in bags or buckets) de-icing materials are stored within a permanent structure, they are not subject to the storage and inspection requirements in Section 420-15 above. Piles of de-icing materials are not exempt, even if stored in a permanent structure.

This article does not apply to facilities where the stormwater discharges from de-icing material storage activities are regulated under another NJPDES permit.

§ 420-17 **Enforcement.**

This article shall be enforced by the Police Department, Borough Engineer, Construction Official or Quality of Life Enforcement Officer during the course of ordinary enforcement duties.

§ 420-18 **Violations and penalties.**

Any person(s) who is found to be in violation of the provisions of this article shall have 72 hours to complete corrective action. Repeat violations and/or failure to complete corrective action shall result in fines of not less than \$250 nor more than \$1,500.

Section 2. Repealer.

All ordinances or parts of ordinances inconsistent or in conflict with this Ordinance are hereby repealed as to said inconsistencies and conflicts.

Section 3. Severability.

If any section, part of any section, or clause or phrase of this ordinance is for any reason held to be invalid or unconstitutional, such decision shall not affect the remaining provisions of this ordinance. The governing body of the Borough of Franklin Lakes declares that it would have passed the ordinance and each section and subsection thereof, irrespective of the fact that any one or more of the subsections, sentences, clauses or phrases may be declared unconstitutional or invalid.

Section 4. Effective Date.

This ordinance shall take effect immediately upon passage and publication according to law.

APPROVED: _____
Charles J. X. Kahwaty, Mayor

ATTEST: _____
Gail M. Rulli, Borough Clerk

Introduced: 10-17-2023

Adopted: 11-21-2023