

AN ORDINANCE AMENDING THE CITY OF POPLAR BLUFF, MISSOURI CODE OF CITY ORDINANCES, CHAPTER 510, ARTICLE III, SECTION 510.400 AND SECTION 510.560 RELATING TO EXCAVATING SERVICES IN THE CITY OF POPLAR BLUFF, MISSOURI

WHEREAS, the City of Poplar Bluff desires to amend its Code of Ordinances, Chapter 510, Article III, Section 510.400 and 510.560 relating to excavation services and fees in the City of Poplar Bluff; and,

WHEREAS, the City Council of the City of Poplar Bluff, Missouri, deems it to be in the best interests of the City and its citizens to adopt changes to said Ordinance.

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF POPLAR BLUFF, MISSOURI, AS FOLLOWS:

Section 1. Chapter 510, Article III, Section 510.400 and Section 510.560 of the Code of City Ordinances is hereby amended by deleting Section 510.400 and Section 510.560 and adding new sections as set forth in **Exhibit “A”** which is attached hereto and incorporated herein by specific reference.


Section 2. The Mayor of the City of Poplar Bluff is hereby authorized and directed to execute any documentation necessary to effectuate the terms of this ordinance.

Section 3. All ordinances or parts of ordinances in conflict with this ordinance are hereby repealed insofar as they do conflict.

Section 4. This ordinance shall be in force and take effect from and after January 1, 2024.

READ TWO TIMES AND PASSED BY THE CITY COUNCIL OF THE CITY OF POPLAR BLUFF, MISSOURI, THIS 20TH DAY OF NOVEMBER, 2023.

APPROVED:


MAYOR

ATTEST:



CITY CLERK

EXHIBIT "A":

Chapter 510. Streets, Sidewalks and Other Public Places

ARTICLE III. Excavations

Section 510.400. Minimum Pavement Specifications.

[R.O. 2007"32-65; Ord No. 3578 ""3,8-19-1968Ord. No.4012 ""1, 6-4-1973]

- A. The lowest type or specification of pavement which will be accepted and maintained by the City shall be as follows:
1. **All Local streets.** Four (4) inches of rolled stone base for concrete streets and Six (6) inches of concrete at a six (6) bag mix or four thousand (4000) PSI. Asphalt streets will require four (4) inches of rolled stone base and a three-inch (3) layer of BPI asphalt.

Section 510.560. Fees.

[R.O. 2007 §32-98; Ord. No. 6512 §1, 7-15-2002; Ord. No. 19-26, 5-6-2019]

- A. The Street Superintendent shall receive the following fees for issuing the permit required by this Article, to wit:
1. For excavation in sidewalks or perpendicular to any street, alley or highway in which the excavation is made:
 - a. For sidewalks, the sum of forty dollars (\$40.00).
 - b. For gravel surface street or alley cuts, the sum of forty dollars (\$40.00).
 - c. For blacktopped surface, streets or alleys, the sum of fifty dollars (\$50.00).
 - d. For concrete surface, streets or alleys, the sum of fifty dollars (\$50.00).
 - e. For parkway shoulder cuts, thirty-five dollars (\$35.00).
 2. For curb cuts that are parallel to the alley, street, highway or sidewalk, or parkways in which the excavation is made, the sum thirty dollars (\$30.00).
 3. For driveway cuts on asphalt or concrete, the sum of fifty dollars (\$50.00).
 4. In no event shall any agency or department of the City be charged a fee for a permit.