

RESOLUTION NO. 03-08-2018-02 (AMALFI RIDGE PHASE 2)

A RESOLUTION OF THE COLLIER TOWNSHIP MUNICIPAL AUTHORITY AGREEING TO ACCEPT OWNERSHIP OF CERTAIN SANITARY SEWERS AND MANHOLES AS INSTALLED AND CONSTRUCTED IN AND THROUGH AMALFI RIDGE PHASE 2

WHEREAS, the property developer, Maronda Homes, has caused to be constructed, certain sanitary sewers, manholes and associated main line components in and through Amalfi Ridge Phase 2; and,

WHEREAS, Maronda Homes awarded the necessary contracts for the construction and installation of the system by and through Foley Excavating, Inc.; and,

WHEREAS, field observations of construction of sanitary sewers and manholes were performed by NIRA Consulting Engineers, Inc. on behalf of the Collier Township Municipal Authority; and,

WHEREAS, NIRA Consulting Engineers, Inc., on March 08, 2018, advised the Collier Township Municipal Authority that final inspection and testing of the sanitary sewer lines within Amalfi Ridge Phase 2 are complete; and,

WHEREAS, the sanitary sewer lines and manholes previously have passed the required air and vacuum tests and passed the necessary deflection (mandrel) test; and,

WHEREAS, the following described lines and manholes have now passed the required mandrel testing and the required air testing and currently constructed and approved for acceptance is a described in the attached exhibit with all testing being verified and approved by NIRA consulting Engineers; and,

WHEREAS, NIRA Consulting Engineers, Inc. recommended that the sewer lines listed in the attached exhibit sheet be accepted by the Collier Township Municipal Authority; and,

WHEREAS, Maronda Homes, Inc. now have provided to the Collier Township Municipal Authority its certification as to the construction cost of the said lines which were constructed at a construction cost of \$298,860.00; and,

WHEREAS Maronda Homes has posted the required maintenance bond in the amount of fifteen (15%) percent of the construction costs and said bond being in the amount of \$44,829.00 to run for a period of eighteen months from the date of the completion and this acceptance of the work.

NOW THEREFORE, the Collier Township Municipal Authority at a publicly held meeting on the 8th day of March 2018:


1. Reviewed this Resolution, and formerly adopted the Resolution, accepting ownership and control of the sanitary sewer lines and manholes listed in the attached exhibit as of the date of this Resolution.
2. The lines and manholes hereby accepted are in and through Amalfi Ridge Phase 2, the said system is fully described as set forth in the attached exhibit all as shown in as built plans and specifications and all being part of Phase 2 located in and through Amalfi Ridge Phase 2 as an Authority sanitary sewer system now and into


the future.

3. This Resolution of acceptance of these public improvements shall be maintained as part of the records of the Collier Township Municipal Authority and a copy shall be delivered to Maronda Homes.
4. As part of this acceptance, Maronda Homes is to provide two (2) sets of As-Built Reproducible Drawings and one (1) DVD electronic copy of the sanitary sewers as accepted. Additionally, Maronda Homes has provided easements as shown on the recorded subdivision plan filed of record, as well as a Bill of Sale conveying the sanitary sewer main line and manholes to CTMA for the consideration of one (\$1.00) dollar.

Adopted this 8th day of March 2018, by a majority vote of the members of the Collier Township Municipal Authority.

COLLIER TOWNSHIP MUNICIPAL AUTHORITY


Daniel Oberleitner, Chairman


Dan Fotovich, Secretary

AMALFI RIDGE PRD SEWER SYSTEM

Phase 2

The proposed sanitary sewer system for Phase 2 of the Amalfi Ridge PDD currently includes sewer service for forty-three (43) single family homes is to consist of the following items as currently proposed to be constructed by the Developer.

1. Approximately 2,891 L.F. of 8" SDR 35 PVC pipe.
2. Approximately 1,267 L.F. of 8" SDR 26 PVC pipe.
3. Approximately 384 L.F. of 8" DR 18 PVC pipe.
4. Approximately forty-two - 48" inside diameter precast concrete manholes.
5. Approximately two - 60" inside diameter precast concrete manholes.

The current estimated construction costs for the extension to serve Phase 2 of this project is estimated to be \$330,000.00