BOROUGH OF INTERLAKEN

ORDINANCE NO. 2023-6

AN ORDINANCE OF THE BOROUGH OF INTERLAKEN AMENDING AND SUPPLEMENTING CHAPTER XVI TO ADD SEWERS 16-7 "PRIVATELY-OWNED SALT STORAGE" TO PROVIDE REGULATIONS REGARDING STORAGE OF SALT AND DE-ICING MATERIALS

BE IT ORDAINED, by the Borough Council of the Borough of Interlaken, in the County of Monmouth, State of New Jersey, as follows:

SECTION ONE. Chapter 16 "Sewers," is amended and supplemented to add Section 16-7 as follows:

16-7 PRIVATELY-OWNED SALT STORAGE

16-7.1 *Purpose*

The purpose of this ordinance is to prevent stored salt and other solid de-icing materials from being exposed to stormwater.

This ordinance establishes requirements for the storage of salt and other solid de-icing materials on properties not owned or operated by the municipality (privately-owned), including residences, in Interlaken Borough to protect the environment, public health, safety and welfare, and to prescribe penalties for failure to comply.

16-7.2 Definitions

For the purpose of this ordinance, the following terms, phrases, words and their derivations shall have the meanings stated herein unless their use in the text of this Chapter clearly demonstrates a different meaning. When consistent with the context, words used in the present tense include the future, words used in the plural number include the singular number, and words used in the singular number include the plural number. The word "shall" is always mandatory and not merely discretionary.

- A. "De-Icing Materials" means any granular or solid material such as melting salt or any other granular solid that assists in the melting of snow.
- B. "Impervious Surface" means a surface that has been covered with a layer of material so that it is highly resistant to infiltration by water.
- C. "Storm Drain Inlet" means the point of entry into the storm sewer system.
- D. "Permanent Structure" means a permanent building or permanent structure that is anchored to a permanent foundation with an impermeable floor, and that is completely roofed and walled (new structures require a door or other means of sealing the access way from wind driven rainfall).

A fabric frame structure is a permanent structure if it meets the following specifications:

- Concrete blocks, jersey barriers or other similar material shall be placed around the interior of the structure to protect the side walls during loading and unloading of de-icing materials;
- The design shall prevent stormwater run-on and run through,
 and the fabric cannot leak;
 - The structure shall be erected on an impermeable slab;
 - 4. The structure cannot be open sided; and
- The structure shall have a roll up door or other means of sealing the access way from wind driven rainfall.
- E. "Person" means any individual, corporation, company, partnership, firm, association, or political subdivision of this State subject to municipal jurisdiction.
- F. "Resident" means a person who resides on a residential property where de-icing material is stored.

16-7.3 De-Icing Material Storage Requirements

- A. Temporary outdoor storage of de-icing materials in accordance with the requirements below is allowed between October 15th and April 15th:
 - Loose materials shall be placed on a flat, impervious surface
 in a manner that prevents stormwater run-through;

- 2. Loose materials shall be placed at least 50 feet from surface water bodies, storm drain inlets, ditches and/or other stormwater conveyance channels;
- 3. Loose materials shall be maintained in a cone-shaped storage pile. If loading or unloading activities alter the cone-shape during daily activities, tracked materials shall be swept back into the storage pile, and the storage pile shall be reshaped into a cone after use;
 - Loose materials shall be covered as follows:
 - a. The cover shall be waterproof, impermeable, and flexible;
 - b. The cover shall extend to the base of the pile(s);
 - c. The cover shall be free from holes or tears;
 - d. The cover shall be secured and weighed down around the perimeter to prevent removal by wind; and
 - e. Weight shall be placed on the cover(s) in such a way that minimizes the potential of exposure as materials shift and runoff flows down to the base of the pile.
 - (1) Sandbags lashed together with rope or cable and placed uniformly over the flexible cover, or poly-cord nets provide a suitable method. Items

that can potentially hold water (e.g., old tires) shall not be used;

- 5. Containers must be sealed when not in use; and
- 6. The site shall be free of all de-icing materials between April 16th and October 14th.
- B. De-icing materials should be stored in a permanent structure if a suitable storage structure is available. For storage of loose de-icing materials in a permanent structure, such storage may be permanent, and thus not restricted to October 15 April 15.
- C. All such temporary and/or permanent structures must also comply with all other local ordinances, including building and zoning regulations.
- D. The property owner, or owner of the de-icing materials if different, shall designate a person(s) responsible for operations at the site where these materials are stored outdoors, and who shall document that weekly inspections are conducted to ensure that the conditions of this ordinance are met. Inspection records shall be kept on site and made available to the municipality upon request.
 - Residents who operate businesses from their homes that utilize de-icing materials are required to perform weekly inspections.

16-7.4 Exemptions

Residents may store de-icing materials outside in a solid-walled, closed container that prevents precipitation from entering and exiting the container, and which prevents the de-icing materials from leaking or spilling out. Under these circumstances, weekly inspections are not necessary, but repair or replacement of damaged or inadequate containers shall occur within 2 weeks.

If containerized (in bags or buckets) de-icing materials are stored within a permanent structure, they are not subject to the storage and inspection requirements in Section III above. Piles of de-icing materials are not exempt, even if stored in a permanent structure.

This ordinance does not apply to facilities where the stormwater discharges from de-icing material storage activities are regulated under another NJPDES permit.

16-7.5 Enforcement

This ordinance shall be enforced by the Police Department and/or Code Enforcement Official and/or other Municipal Officials during the course of ordinary enforcement duties.

16-7.6 Violations and Penalties

Any person(s) who is found to be in violation of the provisions of this ordinance shall have 72 hours to complete corrective action. Repeat violations

and/or failure to complete corrective action shall be subject to the general penalty provisions contained in Chapter 1, Section 1-5.

SECTION TWO. All other sections and subsections of the Borough Code will remain

unaltered.

SECTION THREE. If any section, subsection, paragraph, sentence or other portion

of this Ordinance be adjudged by a Court of competent jurisdiction to be invalid, such

judgment shall not affect, impair or invalidate the remainder of this Ordinance.

SECTION FOUR. All ordinances or parts thereof inconsistent with the provisions of

this Ordinance are hereby replaced to the extent of such inconsistencies.

SECTION FIVE. This Ordinance shall take effect immediately upon its final passage

and publication according to law.

APPROVED:

MICHAEL NOHILLY

Mayor

ATTEST:

LORI REIBRICH

Borough Clerk

ORDINANCE READING	DATE		
1ST READING BY TITLE:	October 18, 2023		
2 ND READING BY TITLE:	November 15, 2023		

I, Lori Reibrich Clerk of the Borough of Interlaken, do hereby certify that the foregoing is a true copy of a Resolution adopted by the Borough Council of the Borough of Interlaken at a regular meeting held on Nevember 15/2023.

Lori Reibrich, RMC

Record of Vote	Mayor Nohilly	Council President Butler	Councilwoman Horowitz	Councilman Delia	Councilman Franks	Councilman DeSarno	Councilman Blasucci
Motion to Approve						x	
Motion to Second					х		
Approved		х	х		x	х	х
Opposed							
Not Voting/Recuse							
Absent/Excused				х			