


**AN ORDINANCE AMENDING SECTION 412.240.R: DESIGN REQUIREMENTS FOR STORM DRAINAGE FACILITIES SUBSECTION (2) OF THE CITY OF NEW MELLE, MISSOURI CITY CODE**

WHEREAS, the Board of Alderman has determined that SECTION 410.240.R: **DESIGN REQUIREMENTS FOR STORM DRAINAGE FACILITIES**, subsection (2) is in need of being amended.


NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF ALDERMAN FOR THE CITY OF NEW MELLE, MISSOURI, THAT SECTION 410.240.R.2 OF THE CITY OF NEW MELLE MUNICIPAL CODE SHALL BE AMENDED AS FOLLOWS:


2. Projects shall have the following detention requirements:
  - a. New residential subdivision developments with three (3) acre or larger lot sizes and all other new developments that have a differential runoff of less than two (2) cfs for the 15-year, twenty (20) minute event shall be exempt from detention requirements for channel and flood protection unless there are known stormwater problems, impaired waterbodies, or special conditions downstream from the proposed subdivision development.
  - b. Detention requirements shall be at the discretion of the City Engineer for developments that have a differential runoff of two (2) cfs to five (5) cfs for the 15-year, twenty (20) minute event.
  - c. Developments that have a differential runoff greater than five (5) cfs for the 15-year, twenty (20) minute event shall be required to provide detention.

**PASSED BY THE BOARD OF ALDERMAN FOR THE CITY OF NEW MELLE**  
THIS 10<sup>TH</sup> DAY OF AUGUST, 2021.


  
\_\_\_\_\_  
Presiding Officer

Attest:

  
\_\_\_\_\_  
City Clerk



APPROVED THIS 10<sup>th</sup> DAY OF AUGUST, 2021



\_\_\_\_\_  
Mayor

Attest:

Maria Gray City Clerk